

Chapter 3: Exercise

References

1. Ekelund U, Ward H a, Norat T, et al. Physical activity and all-cause mortality across levels of overall and abdominal adiposity in European men and women : the European Prospective Investigation into Cancer and Nutrition Study (EPIC) 1 – 6 The EPIC cohort. *Am J Clin Nutr.* 2015;(March):613-621. doi:10.3945/ajcn.114.100065.weight.
2. Booth FW, Roberts CK, Laye MJ. Lack of exercise is a major cause of chronic diseases. *Compr Physiol.* 2012;2(2):1143-1211. doi:10.1002/cphy.c110025.
3. Strawbridge WJ, Deleger S, Roberts RE, Kaplan GA. Physical activity reduces the risk of subsequent depression for older adults. *Am J Epidemiol.* 2002;156(4):328-334. doi:10.1093/aje/kwf047.
4. Physoc.Onlinelibrary.Wiley.Com/Doi/Full/10.1113/JP275166.
5. Jamanetwork. B. <https://Jamanetwork.Com/Journals/Jama/Fullarticle/644554>.
6. Lee I-M, Hsieh C, Paffenbarger RS. Exercise Intensity and Longevity in Men. *JAMA.* 1995;273(15):1179. doi:10.1001/jama.1995.03520390039030.
7. Vitality. Becoming an “everyday Athlete” Could Boost Life Span by More than Three Years.; 2016. <https://www.vitality.co.uk/mediaonline/PDF/Presales/About/PressCentre/BECOMING-AN-EVERYDAY-ATHLETE-COULD-BOOST-LIFE-SPAN-BY-MORE-THAN-THREE-YEARS.pdf>. Accessed February 13, 2018.

8. Layne JE, Nelson ME. The effects of progressive resistance training on bone density: a review. *Med Sci Sports Exerc.* 1999;31(1):25-30. doi:10.1097/00005768-199901000-00006.
9. Rall LC, Meydani SN, Kehayias JJ, Dawson-Hughes B, Roubenoff R. The effect of progressive resistance training in rheumatoid arthritis. Increased strength without changes in energy balance or body composition. *Arthritis Rheum.* 1996;39(3):415-426. doi:10.1002/art.1780390309.
10. Castaneda C, Layne JE, Munoz-Orians L, et al. A randomized controlled trial of resistance exercise training to improve glycemic control in older adults with type 2 diabetes. *Diabetes Care.* 2002;25(12):2335-2341. doi:10.2337/DIACARE.25.12.2335.
11. Calbet JAL, Moysi JS, Dorado C, Rodriguez LP. Bone mineral content and density in professional tennis players. *Calcif Tissue Int.* 1998;62(6):491-496. doi:10.1007/s002239900467.
12. Allison SJ, Folland JP, Rennie WJ, Summers GD, Brooke-Wavell K. High impact exercise increased femoral neck bone mineral density in older men: a randomised unilateral intervention. *Bone.* 2013;53(2):321-328. doi:10.1016/j.bone.2012.12.045.
13. Evans CC, LePard KJ, Kwak JW, et al. Exercise Prevents Weight Gain and Alters the Gut Microbiota in a Mouse Model of High Fat Diet-Induced Obesity. Federici M, ed. *PLoS One.* 2014;9(3):e92193. doi:10.1371/journal.pone.0092193.
14. Cerdá B, Pérez M, Pérez-Santiago JD, Tornero-Aguilera JF, González-Soltero R, Larrosa M. Gut Microbiota Modification: Another Piece in the Puzzle of the Benefits of Physical Exercise in Health? *Front Physiol.* 2016;7:51. doi:10.3389/fphys.2016.00051.
15. Statistics BHFH. Cvd Statistics – Bhf Uk Factsheet Deaths From Cvd and Numbers Living With Cvd. 2018;(February).

16. Health D of. Living well for longer. 2015;(April).
https://www.gov.uk/government/uploads/system/uploads/attachment_data/file/416442/Living_Well_for_Longer_-_One_year_on__March_2015_.pdf.
17. Dandona P, Aljada A, Bandyopadhyay A. Inflammation: the link between insulin resistance, obesity and diabetes. *Trends Immunol.* 2004;25(1):4-7. doi:10.1016/J.IT.2003.10.013.
18. BHF. Physical inactivity and sedentary behaviour report 2017. Br Hear Found. 2017:10.
<https://www.bhf.org.uk/publications/statistics/physical-inactivity-report-2017>.
19. Myers J. Exercise and Cardiovascular Health. *Circulation.* 2003;107(1):2e-5. doi:10.1161/01.CIR.0000048890.59383.8D.
20. King AC, Oman RF, Brassington GS, Bliwise DL, Haskell WL. Moderate-Intensity Exercise and Self-rated Quality of Sleep in Older Adults. *JAMA.* 1997;277(1):32.
 doi:10.1001/jama.1997.03540250040029.
21. Yang P-Y, Ho K-H, Chen H-C, Chien M-Y. Exercise training improves sleep quality in middle-aged and older adults with sleep problems: a systematic review. *J Physiother.* 2012;58(3):157-163.
 doi:10.1016/S1836-9553(12)70106-6.
22. Kline CE, Crowley EP, Ewing GB, et al. The Effect of Exercise Training on Obstructive Sleep Apnea and Sleep Quality: A Randomized Controlled Trial. *Sleep.* 2011;34(12):1631-1640.
 doi:10.5665/sleep.1422.
23. Lorenz TA, Meston CM. Exercise improves sexual function in women taking antidepressants: Results from a randomized crossover trial. *Depress Anxiety.* 2014;31(3):188-195. doi:10.1002/da.22208.

24. Zahariou AG, Karamouti M V., Papaioannou PD. Pelvic floor muscle training improves sexual function of women with stress urinary incontinence. *Int Urogynecol J.* 2008;19(3):401-406. doi:10.1007/s00192-007-0452-3.
25. Belardinelli R, Lacalaprice F, Faccenda E, Purcaro A, Perna G. Effects of short-term moderate exercise training on sexual function in male patients with chronic stable heart failure. *Int J Cardiol.* 2005;101(1):83-90. doi:10.1016/j.ijcard.2004.05.020.
26. Voss MW, Vivar C, Kramer AF, van Praag H. Bridging animal and human models of exercise-induced brain plasticity. *Trends Cogn Sci.* 2013;17(10):525-544. doi:10.1016/j.tics.2013.08.001.
27. Thomas AG, Dennis A, Rawlings NB, et al. Multi-modal characterization of rapid anterior hippocampal volume increase associated with aerobic exercise. *Neuroimage.* 2016;131:162-170. doi:10.1016/J.NEUROIMAGE.2015.10.090.
28. Liu F, Sulpizio S, Kornpetpanee S, Job R. It takes biking to learn: Physical activity improves learning a second language. *PLoS One.* 2017;12(5). doi:10.1371/journal.pone.0177624.
29. Schmidt-Kassow M, Deusser M, Thiel C, et al. Physical Exercise during Encoding Improves Vocabulary Learning in Young Female Adults: A Neuroendocrinological Study. Chao L, ed. *PLoS One.* 2013;8(5):e64172. doi:10.1371/journal.pone.0064172.
30. Hillman CH, Pontifex MB, Castelli DM, et al. Effects of the FITKids Randomized Controlled Trial on Executive Control and Brain Function. *Pediatrics.* 2014;134(4):e1063-e1071. doi:10.1542/peds.2013-3219.
31. Fritz KM, O'Connor PJ. Acute exercise improves mood and motivation in young men with ADHD symptoms. *Med Sci Sports Exerc.* 2016;48(6):1153-1160. doi:10.1249/MSS.0000000000000864.

32. Norton S, Matthews FE, Barnes DE, Yaffe K, Brayne C. Potential for primary prevention of Alzheimer's disease: an analysis of population-based data. *Lancet Neurol.* 2014;13(8):788-794. doi:10.1016/S1474-4422(14)70136-X.
33. Stillman CM, Cohen J, Lehman ME, Erickson KI. Mediators of Physical Activity on Neurocognitive Function: A Review at Multiple Levels of Analysis. *Front Hum Neurosci.* 2016;10. doi:10.3389/fnhum.2016.00626.
34. Mackay DS. *The Neuroscience Academy.* 2018.
35. Dimidjian S, Hollon SD, Dobson KS, et al. Randomized trial of behavioral activation, cognitive therapy, and antidepressant medication in the acute treatment of adults with major depression. *J Consult Clin Psychol.* 2006;74(4):658-670. doi:10.1037/0022-006X.74.4.658.
36. Ekers D, Webster L, Van Straten A, Cuijpers P, Richards D, Gilbody S. Behavioural activation for depression; An update of meta-analysis of effectiveness and sub group analysis. *PLoS One.* 2014;9(6). doi:10.1371/journal.pone.0100100.
37. Stults-Kolehmainen MA, Sinha R. The effects of stress on physical activity and exercise. *Sports Med.* 2014;44(1):81-121. doi:10.1007/s40279-013-0090-5.
38. Hölzel BK, Carmody J, Evans KC, et al. Stress reduction correlates with structural changes in the amygdala. *Soc Cogn Affect Neurosci.* 2010;5(1):11-17. doi:10.1093/scan/nsp034.
39. Dimeo F, Bauer M, Varahram I, Proest G, Halter U. Benefits from aerobic exercise in patients with major depression: a pilot study. *Br J Sports Med.* 2001;35(2):114-117. doi:10.1136/BJSM.35.2.114.

40. Folkins CH. Effects of physical training on mood. *J Clin Psychol.* 1976;32(2):385-388.
41. World. Physical Activity and Adults. *Physical Activity and Adults.* http://www.who.int/dietphysicalactivity/factsheet_adults/en/. Published 2018.
42. DiSantis KI, Birch LL, Davey A, et al. Physical activity guidelines for adults (19-64 years). *Pediatrics.* 2013;131(5):e1451-8. doi:10.1542/peds.2012-2330.
43. Kyu HH, Bachman VF, Alexander LT, et al. Physical activity and risk of breast cancer, colon cancer, diabetes, ischemic heart disease, and ischemic stroke events: systematic review and dose-response meta-analysis for the Global Burden of Disease Study 2013. *BMJ.* 2016;354:i3857. doi:10.1136/BMJ.I3857.
44. Song C, Weichbrodt C, Salnikov ES, et al. Crystal structure and functional mechanism of a human antimicrobial membrane channel. *Proc Natl Acad Sci U S A.* 2013;110(12):4586-4591. doi:10.1073/pnas.1214739110.
45. Diaz KM, Howard VJ, Hutto B, et al. Patterns of sedentary behavior and mortality in U.S. middle-aged and older adults a national cohort study. *Ann Intern Med.* 2017;167(7):465-475. doi:10.7326/M17-0212.
46. Biddle SJH, Bennie JA, Bauman AE, et al. Too much sitting and all-cause mortality: Is there a causal link? *BMC Public Health.* 2016;16(1):1-10. doi:10.1186/s12889-016-3307-3.
47. Young DR, Hivert M-F, Alhassan S, et al. Sedentary Behavior and Cardiovascular Morbidity and Mortality: A Science Advisory From the American Heart Association. *Circulation.* 2016;134(13):e262-e279. doi:10.1161/CIR.0000000000000440.

48. Gillen JB, Martin BJ, MacInnis MJ, Skelly LE, Tarnopolsky MA, Gibala MJ. Twelve Weeks of Sprint Interval Training Improves Indices of Cardiometabolic Health Similar to Traditional Endurance Training despite a Five-Fold Lower Exercise Volume and Time Commitment. Sandbakk Ø, ed. PLoS One. 2016;11(4):e0154075. doi:10.1371/journal.pone.0154075.
49. Gibala MJ, Little JP, MacDonald MJ, Hawley JA. Physiological adaptations to low-volume, high-intensity interval training in health and disease. J Physiol. 2012;590(5):1077-1084. doi:10.1113/jphysiol.2011.224725.
50. www.ageing-better.org.uk. www.ageing-better.org.uk. <https://www.ageing-better.org.uk/news/benefits-strength-balance-exercise-not-understood/>. Published 2017.
51. Lorentzon AGNDSFBM. Lactobacillus reuteri reduces bone loss in older women with low bone mineral density – a randomized, placebo-controlled, double-blind, clinical trial. J Intern Med. 2018.